



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	001029-TSE-02/03
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	03.02.2011
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	03.02.2024
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	PAKKENS YEDEK PARÇA VE MAKİNA SANAYİ VE TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	MİNARELİÇAVUŞ BURSA OSB MAH. SARI CAD. NO:20 NİLÜFER BURSA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	PAKKENS YEDEK PARÇA VE MAKİNA SANAYİ TİCARET A.Ş.
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	ORGANİZE SANAYİ BÖLGESİ 75. YIL CAD. NO. 3 NİLÜFER BURSA / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	001029-TSE-02/02
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	PAKKENS
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 13547 / 04.01.2016
BELGE KAPSAMI SCOPE OF LICENCE	



KÜRESEL VANA, DN 6, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G), MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 10, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G), MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 15, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G), MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 20, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G), MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 25, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G), MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 32, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),

e-imzalı/e-signed

31.01.2023

Belgelendirme Merkezi Başkanı Adına
ASU KORNOŞOR

TSE BURSA BELGELENDİRME MÜDÜRÜ

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kopya ve silinti yapılamaz.

*TSE BURSA BELGELENDİRME MÜDÜRLÜĞÜ * Adres: Organize Sanayi Bölgesi Kırmızı Cad. No:6 16140 BURSA * Telefon: 02242438000(5H)* Faks: 02242438324

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta : bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or T S E

BELGE KAPSAMI (001029-TSE-02/03nolu belge devamı) : PAKKENS YEDEK PARÇA VE MAKİNA SANAYİ VE TİCARET ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN 13547 / 04.01.2016

MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 40, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 50, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 65, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 80, PN 16, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 6, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 10, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 15, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80° C
KÜRESEL VANA, DN 20, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 25, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 32, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 40, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C
KÜRESEL VANA, DN 50, PN 25, VANA SERİSİ B, GÖVDE MALZEMESİ CW 617N, VİDA AĞIZ BAĞLANTILI (TİP G),
MÜSAADE EDİLEN AZAMI SICAKLIK 80°C

e-imzalı/e-signed

31.01.2023

Belgelendirme Merkezi Başkanı Adına
ASU KORNOŞOR

TSE BURSA BELGELENDİRME MÜDÜRÜ

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.

*TSE BURSA BELGELENDİRME MÜDÜRLÜĞÜ * Adres: Organize Sanayi Bölgesi Kırmızı Cad. No 6 16140 BURSA * Telefon: 02242438000(5H) * Faks: 02242438324

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI, Adres: Necatibey Cad. No.112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27. Faks:0 312 416 66 17 E-posta :bmb@tse.org.tr, web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or T S E

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	001029-TSE-02/03
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	03.02.2011
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	03.02.2024
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	PAKKENS YEDEK PARÇA VE MAKİNA SANAYİ VE TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	MİNARELİÇAVUŞ BURSA OSB MAH. SARI CAD. NO:20 NİLÜFER BURSA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	PAKKENS YEDEK PARÇA VE MAKİNA SANAYİ TİCARET A.Ş.
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	ORGANİZE SANAYİ BÖLGESİ 75. YIL CAD. NO. 3 NİLÜFER BURSA / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	001029-TSE-02/02
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	PAKKENS
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 13547 / 04.01.2016
BELGE KAPSAMI SCOPE OF LICENCE	

BALL VALVE, DN 6, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 10, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 15, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 20, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 25, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 32, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),

e-imzalı/e-signed

31.01.2023

On Behalf Of The Head Of Certification Center
ASU KORNOŞOR

TSE BURSA CERTIFICATION MANAGER

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Organize Sanayi Bölgesi Kırmızı Cad. No 6 16140 BURSA * Telephone: 02242438000(5H) * Fax: 02242438324

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/ör  veya/ör T S E

BELGE KAPSAMI (001029-TSE-02/03nolu belge devamı) : PAKKENS YEDEK PARÇA VE MAKİNA SANAYİ VE TİCARET ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN 13547 / 04.01.2016

MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 40, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 50, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 65, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 80, PN 16, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 6, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 10, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 15, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 20, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 25, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 32, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 40, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C
BALL VALVE, DN 50, PN 25, VALVE SERIES B, BODY MATERIAL CW 617N, THREADED END (TYPE G),
MAXIMUM ALLOWABLE TEMPERATURE 80 °C

e-imzalı/e-signed

31.01.2023

On Behalf Of The Head Of Certification Center
ASU KORNOŞOR

TSE BURSA CERTIFICATION MANAGER

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Organize Sanayi Bölgesi Kırmızı Cad. No:6 16140 BURSA * Telephone: 02242438000(5H)* Fax: 02242438324

*TSE HEAD OF CERTIFICATION CENTER, Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr



Please check the accuracy and validity of the certificate from <https://evrakkontrol.tse.org.tr/BelgeDogrulama.aspx?p=zuttxbjl>

2 / 2